CHAMALEON

Be smart, go efficient



ADVANTAGES

SAVES TIME AND MONEY

BETTER SERVICE

ENVIRONMENT

EXPRESS FILL-PRIMER





- Fast dryingExcellent corrosion protection
- Very good filling properties
- Overcoatable with all common water- and solvent-based 1K and 2K topcoat systems
- Suitable for spot repairs or as high-build filler

Name	Colour	Packing	Article	Package
Express fill-primer	arev	500 ml	26043	6



552 FAST FINISH PUTTY

ARTICLES



499 2K EXPRESS PRIMER 4:1

- Extremely fast dryingExcellent adhesion to bare metals
- · Perfect coverage
- Can be sanded after only 10 minutes force drying or 60 minutes at 20 °C

	Name	Colour	Packing	Article	Package
	2K Express primer 4:1	grey	11	14991	6
1	2K Express primer 4:1	black	11	14992	6
1	2K Express primer 4:1	white	11	14993	6
	Hardener 299		250 ml	12993	12

· Fast finish putty changes colour from green to beige during the curing phase Sandable after only 15 - 20 min. at 20°C Directly applicable on iron, steel, aluminium, galvanized substrates, GRP and wood

CHAMALEON 552

- Gives a smooth, glossy and closed surface

Name	Colour	Packing	Article	Package
Fast finish putty	green	1000 ml	15525	6

180 HS FAST & PERFECT **EXPRESS CLEAR COAT**



- Very fast drying
 Can be polished after 15 min. if dried at 60 °C
- Excellent resistance against environmental and weathering conditions
- Offers durable gloss retention

Name	Packing	Article	Package
HS Fast & perfect express clear coat	11	11805	6
HS Fast & perfect express clear coat	5 I	11808	4
Hardener 280	0,5	12804	6
Hardener 280	2,5	12807	4

189 UHS AIR DRY EXPRESS CLEAR COAT



- · Extremely fast drying UHS clear coat
- No heating necessary
- Cures in only 40 min. at 20 °C
- Optimized for both water and solvent based bi-coat systems

Name	Packing	Article	Package
UHS Air dry express clear coat	5	11898	4
Hardener 289	2,5	12897	4

BLACK LINE

2K CLEAR COAT PREMIUM






- Perfectly suitable for spot repair and fast painting of car body elements
- Is mixed with hardener inside the can
- · Provides a scratch-proof coating with an excellent gloss
- Protects against rust, weathering influences and UV-rays
- Fast drying

Name	Packing	Article	Package
2K Clear coat premium	500 ml	11012	6
2K Clear coat premium	500 ml	11013	6

PRE-FILL PREMIUM







- · Ideal for spot repair or refinishing parts
- Simple, time-saving application
- Excellent atomisation
- Light blending
- Professional adjustable nozzle

Name	Packing	Article	Package
Pre-fill premium	prefilled 300 ml +	25005	6

2K HEADLIGHT CLEAR COAT





- · Headlight restoration on professional level
- · Very high resistance to chemicals
- Excellent UV protection
- Seals and protects the plastic surface against weathering and yellowing
- Extremely abrasion- and scratch-resistant

Name	Packing	Article	Package
2K Headlight clear coat	200 ml	11014	6

SOFT LIGHT PUTTY



- · Even and pore free finish
- Doesn't clog up sanding paper Very smooth finish due to micro filling particles
- Time efficient, fast applying, short drying time
- High elasticity
- Light Beige colour

Name	Packing	Article	Package
Soft light putty	0,5	15554	12
Soft light putty	11	15555	6

533 FIBERGLASS LIGHT PUTTY



- · New fiberglass light putty is a product with unique characteristics
- · It weighs almost half of ordinary putty
- Does not create pores
- It is easy to sand, has high elasticity and excellent adhesive properties to different materials
- Can be easily sanded down to zero
- · No need for additional fine putty application, can directly be overcoated with filling primer
- · Light Green colour

Name	Packing	Article	Package
Fiberglass light putty	0,5	15334	12
Fiberglass light putty	11	15335	6

2K ALL IN ONE PRIMER 4:1

466



Works:

- · Wet on wet
- Direct to metal (DTM)
- · As sanding primer
- As plastic primer (flexible)

Name	Colour	Packing	Article	Package
2K All in one primer 4:1	grey	11	14664	6
Hardener		0,25	12663	12

177 UHS CLEAR COAT



- · 2K acrylic ultra high solid clear coat with excellent scratch
- Economic consumption applied in only 1,5 layers
 Provides an outstanding protection coupled with resistance to microscratches (e.g. by car wash) and chemicals
 Recommended for high quality (complete or partial) painting

Name	Packing	Article	Package
UHS Clear coat	11	11775	6
UHS Clear coat	5 I	11778	4
UHS hardener 277	0,5	12774	6
UHS hardener 277	2,5	12777	4
UHS Hardener fast 278	0,5	12784	6
LIHS Hardener fast 278	2.51	12787	4

UHS CLEAR COAT (FOR HIGH TEMPERATURES)



- · 2K acrylic ultra high solid clear coat with excellent gloss
- Optimized for temperatures warmer than 25 °C/77 °F
- Economic consumption applied in only 1,5 layers
 Provides outstanding protection coupled with resistance to
- microscratches (e.g. by car wash) and chemicals Recommended for high quality complete or partial painting

Name	Packing	Article	Package
UHS Clear coat	51	11788	4
UHS Hardener	2,5	12777	4

UNIVERSAL MEDIUM-GRAINED PUTTY



- Used as a base material for filling surface irregularities
 Has a high degree of adhesion to different materials
 Does not leave pores
 Does not clog up abrasive material while sanding
 Light Grey colour

Name	Packing (inc. hardener)	ſ
Universal medium-grained putty	0,250 kg	
Hadronian and an advantage of the state of t	0.6161	

Name	Packing (inc. hardener)	Article	Package
Universal medium-grained putty	0,250 kg	15012	12
Universal medium-grained putty	0,515 kg	15014	12
Universal medium-grained putty	1 kg	15015	12
Universal medium-grained putty	2 kg	15016	6
Universal medium-grained putty	4,100 kg	15019	2

FIBERGLASS PUTTY 503



- Used for leveling out deep dimples and repairing of car body surfaces exposed to corrosion and for the restoration of the geometrical shape of car bearing parts
 Can be used to repair large damaged areas in one step
- High elasticity
 Green colour

Name	Packing (inc. hardener)	Article	Package
Fiberglass putty	0,250 kg	15032	12
Fiberglass putty	0,515 kg	15034	12
Fiberglass putty	1 kg	15035	12
Fiberglass putty	2 kg	15036	6
Fiberglass putty	4,100 kg	15039	2

505 SUPER SOFT PUTTY



- Putty on the base of unsaturated polyester resins with micro-fine fillers which enable the creation of a very smooth and even surface Perfect for filling large areas of blemished surface

- High elasticity
 Ocher colour

Name	Packing (inc. hardener)	Article	Package
Super soft putty	0,250 kg	15052	12
Super soft putty	0,515 kg	15054	12
Super soft putty	1 kg	15055	12
Super soft putty	2 kg	15056	6
Super soft putty	4,100 kg	15059	2
Super soft putty	30 kg	15058	on request

FINISHING FINE-GRAINED PUTTY



- Used for correction of small defects of all kinds of surfaces, light dimples, pores and grinding marks
 Has a high degree of adhesion to different materials
 Provides a very smooth surface
 High elasticity
 White colour

Name	Packing (inc. hardener)	Article	Package
Finishing fine-grained putty	0,250 kg	15022	12
Finishing fine-grained putty	0,515 kg	15024	12
Finishing fine-grained putty	1 kg	15025	12
Finishing fine-grained putty	2 kg	15026	6

ALUMINIUM PUTTY 504



- Used for both small and large surface irregularities on the car body
 Has a high degree of adhesion to different materials
 Possesses high-grade mechanical durability
 High elasticity

- Grev colour

Name	Packing (inc. hardener)	Article	Package
Aluminium putty	0,250 kg	15042	12
Aluminium putty	0,515 kg	15044	12
Aluminium putty	1 kg	15045	12
Aluminium putty	2 kg	15046	6
Aluminium putty	4,100 kg	15049	2

PUTTY FOR PLASTICS 507



- Used for the repair of plastic elements for filling scratches and damages
 Easy to apply thanks to its softness and elasticity
 Suitable for any type of plastic polypropliene, polyurethane, acrylonitrile,
 styrene-butadiene, polyamides, polyvinyl chloride
 Black coloure.

Name	Packing (inc. hardener)	Article	Package
Putty for plastics	0,250 kg	15072	12
Putty for plastics	0,515 kg	15074	12
D. 44 - f 4	1 ka	15075	12

REPAIR BOX



- The set includes unsaturated, elasticized polyester resin, hardener as well as glassfibre fabric
 Used to fill holes caused by corrosion or mechanical damage, fixates and strengthens metallic and plastic parts and surfaces
 After hardening can be sanded and coated with all polyester putties
 Can be applied on polyester laminate, wood, 2K acrylic primers, epoxy primers and old lacquer codings
 Honey colour

Name	Packing	Article	Package
Repair box	0,250 kg	15080	6

POLYESTER RESIN 509



- Reactive unsaturated polyester resin, which can be applied on nearly any surface, especially in combination with fibreglass tissue and fibreglass matt
 Used to bridge bigger holes, perforations from corrosions and damaged agens.
- areas
 Can be applied very well on metal, wood and concrete
 High elasticity
 Honey colour

Name	Packing (inc. hardener)	Article	Package
Polyostor rosin	1 ka	15005	6

NC PUTTY



- 1K fine-grained putty
 Designed to correct minor defects during paintwork (pores, small damages,
- scratches) before priming and painting. Excellent adhesion to different metals
- Very easy to sand
 Ideal for spot repairs
 Can be covered with different types of paints (base, acrylic, alkyd)
- · Light Beige color

Name	Packing	Article	Package
NC putty	0,250 kg	15100	12
NC putty	1 kg	15101	on request

SPRAY PUTTY



- High quality two-component polyester filler
 for steel, GRP, wood or sanded old paintwork
 Especially suitable for filling deep sanding marks as well as for rough prerepair work in a single filling process
 No sagging of the filler

Name	Colour	Packing (inc. hardener)	Article	Package
Spray putty	beige	11	14175	6

SUPER FILL PUTTY 511



- Ease of working
 Quick, time-saving handling
 Very good adherence on different surfaces
 Excellent filling properties
 Easy to sand, even after a longer period
 Grey colour

Name	Packing	Article	Package
Super fill putty	1,85 kg	15116	6
Super fill putty	4 kg	15119	2

SOFT & PERFECT BODYFILLER



- Self-levelling, lightweight 2K polyester body filler
 Leaves a very smooth surface without pores
 Excellent adhesion to iron, steel, aluminium, galvanised substrates,
 GRP and wood
 No sagging of the filler

	Name	Packing	Article	Package	1
•	Soft & perfect bodyfiller	11	15755	6	1
	Soft & perfect bodyfiller	31	15757	4	1

514 HIGH TEMP METAL PUTTY

514

2K putty with aluminium fillers
 Excellent resistance to high temperature without loss of adhesion: - approx.
30 minutes at 220 °C
 Can be applied directly to iron, steel and aluminium
 Can also be used to fill welding seams, an excellent alternative to tinning

Name	Colour	Packing	Article	Package
High temp metal putty	dark grey	1,400 kg	15146	6

CARBON FIBER PUTTY 534



Carbon fibre reinforced, 2-component fibre glass body filler
 Can be sanded after only 25 - 30 min. at 20°C
 Can be applied directly on iron, steel, aluminium, galvanized substrates,
 GRP and wood
 Pertectly, suitable to bridge cracks, little gaps and perforations from

Name	Colour	Packing	Article	Package
Carbon fiber putty	black	1 kg	15345	12

488 2K ACRYLIC FILLING PRIMER 5:1



An easy to sand 2K filling primer with excellent adhesive properties and high filling power
 Provides a high anti-corrosive protection
 Spot repairs can be carried out without the filler sinking or the build up of edges
 15.20% of thinner can be added, or 30.40% to use "wet on wet"
 Easy to sand, even after a long period

Name	Colour	Packing	Article	Package
Acrylic filling primer optimal HS 5:1	grey	0,5	14885	on demand
Acrylic filling primer optimal HS 5:1	black	0,51	14886	on demand
Acrylic filling primer optimal HS 5:1	grey	11	14881	6
Acrylic filling primer optimal HS 5:1	black	11	14882	6
Acrylic filling primer optimal HS 5:1	red	11	14883	6
Acrylic filling primer optimal HS 5:1	white	11	14884	6
Acrylic filling primer optimal HS 5:1	grey	2,5	148890	on demand
Acrylic filling primer optimal HS 5:1	black	2,5	148880	on demand
Acrylic filling primer optimal HS 5:1	grey	51	14889	2
Acrylic filling primer optimal HS 5:1	black	51	14888	2
Acrylic filling primer optimal HS 5:1	white	51	14887	2
Hardener for Acrylic primer	-	0,1 1/0,5 1	12881/12883	on demand

0,2 |/1 | 12884/12885 12/6

404 2K WASH PRIMER 2:1



An acid curing, chromate-free 2K Primer especially developed for aluminum surfaces
 Used to provide an active protection against corrosion and excellent adhesion to iron
 Resistant to weak acids and bases, propellants, solvents, water and de-icing salt
 Easy to sand, even after a longer period
 Quick drying allows quick working

ame	Colour	Packing	Article	Package
/ash primer 2:1	yellow-green	11	14045	6
ardener for wash primer 2:1	-	0,51	12044	6

1K PLASTIC PRIMER 409



One-component primer for almost all synthetic parts used in a car: ABS, EP-Laminate, PA, PBTP, PC, POM, PPPCPDM, PPO, PUR hard, PUR soft, PVC Excellent adhesion to all intenior and exterior plastic parts
 Can be painted over with acrylic points and top coats
 Quick drying allows quick working

Name	Colour	Packing	Article	Package
Plastic primer	transparent-silver	0,51	14094	6
Plastic primer	transparent-silver	1.1	14095	6

444 2K PRIMER 4:1

Hardener for Acrylic primer



High filling 2K HS filler
 Fast sanding
 Excellent adhesion

Excellent protection against corrosion

Name	Colour	Packing	Article	Package
Primer 4:1	grey	0,81	14441	6
Primer 4:1	black	0,81	14442	6
Primer 4:1	white	0,81	14443	6
Primer 4:1	grey	3,61	14444	2
Primer 4:1	black	3,61	14445	2
Primer 4:1	white	3,61	14446	2
Hardener for Acrylic primer	-	0,21	12884	12
Hardener for Acrylic primer	_	0.91	12886	6

1K PLASTIC FILLING PRIMER



Fast-drying plastic primer
 Excellent filling properties
 For use on PFEPDM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC, GRP plastics
 Recoatable with 1K and 2K topcoats

Name	Colour	Packing	Article	Package]
Plastic Filling Primer	light grev	11	14105	6	Ìς

422 1K PRIMER FAST



- 1K nitro-synthetic primer
 Overcoating with water based coats is not recommended
 Quick drying allows quick working
 Possesses very good sanding property
 Excellent coverage

Name	Colour	Packing	Article	Package
Primer fast	grey	11	14225	6
Primer fast	grey	31	14227	on request

467 2K WET ON WET PRIMER



- Can be overcoated after only 15 minutes drying time at 20 °C
 Provides universal adhesion
 Directly applicable on steel, iron, aluminium and galvanized substrates as well as an commonly used plastics in the automotive industry (e.g. PP-EPDM, ABS, PC, ABS-PC, PUR, PVC, GRP).

Name	Colour	Packing	Article	Package
Wet on wet primer	light grey	11	14671	6
Hardener		0,2 L	12884	12

155 HS CLEAR COAT



- Acrylic clear coat with scratch resistant properties and UV protection
 Applied without adding thinner
 Excellent durability against all environmental and climatic circumstances
 Resistant to mechanic influences
 Yellowing resistant
 Provides perfect gloss
 Easy to polish

Name	Packing	Article	Package
HS Clear coat	0,5	11554	6
HS Clear coat	1.1	11555	6
HS Clear coat	51	11558	4
UNI Hardener slow	0,5 1/2,5 1	12214/12217	on demand/4
UNI Hardener fast	0,5 1/2,5 1	12354/12357	6/4
UNI Hardener standard	0,25/0,5 1/2,5 1	12503/12504/12507	12/6/4
HS Hardener standard	0,5 1/2,5 1	12224/12227	6/4

133 MS CLEAR COAT



- Scratch resistant acrylic clear coat with high UV protection
 Gives a perfect gloss and deep colour to the surface
 Excellent durability against all environmental and climatic circumstances
 Can be applied with up to 5% thinner
 Yellowing resistant
 Easy to polish

Name	Packing	Article	Package	
MS Clear coat	11	11335	6	
MS Clear coat	51	11338	4	
UNI Hardener slow	0,5 1/2,5 1	12214/12217	on demand/4	
UNI Hardener fast	0,5 1/2,5 1	12354/12357	6/4	
UNI Hardener standard	0,25/0,5 1/2,5 1	12503/12504/12507	12/6/4	
HS Hardener standard	0,5 1/2,5 1	12224/12227	6/4	

455 2K EPOXY PRIMER 2:1



- ZK high solid epoxy-based primer with non-taxic anticorrosive pigments
 Used to provide an active protection against corrosion and excellent adhesion to iron
 Resistant to weak acids and bases, propellants, solvents, water and de-icing salt
 Easy to sand, even after a longer period
 Quick drying allows quick working: can be overpainted in 45 minutes
- Colour Article Package light grey 14554

1K ISOLATOR PRIMER





- Fast drying
 Opecial primer, which protects efficiently solvent-sensitive old paintworks (e.g. thermoplastic coatings, coatings based on alkyd resins, and so on) from lifting or bleeding when overcoating with solventbased coating systems

Name	Colour	Packing	Article	Package
1K Isolator primer	ocher vellow	11	14115	6

166 HS CLEAR COAT LOW VOC



- Two-component high-solid acrylic clear coat with low VOC content
 Possesses based durability against all climatic, chemical and mechanical influences
 High gloss and optimal flow for clear-over-base applications of water and solvent paints
 Frankford months of the content of th
- Exceptional result with a perfect high gloss
 Applied in one and a half layer
 Easy to polish

Name	Packing	Article	Package
HS Clear coat low VOC	11	11665	6
HS Clear coat low VOC	51	11668	4
Hardener for low VOC	0,51	12264	6
Hardener for low VOC	2,5	12267	4
Hardener fast for low VOC	0,51	12274	on demand
Hardener fast for low VOC	2,5	12277	on demand
Hardener slow for low VOC	2.51	12287	on demand

122 CLEAR COAT MATT



- Non-yellowing matt finish
 For air- and force drying
 Provides a smooth and durable matt finish

- No gloss increase over time
 Can be used for almost all base coats
 Has a 15-20% gloss degree at a 60° angle

Name	Packing	Article	Package
Clear coat matt	11	11225	6
UNI Hardener fast	0,5 l	12354	6
UNI Hardener slow	0,51	12214	on demand
UNI Hardener standard	0,51	12504	6
HS Hardener standard	0,51	12224	6

UNI HARDENER STANDARD/SLOW/FAST



235

- Standard / Slow / Fast
 For clear coat 122 Matt, 133 MS and 155 HS
 For 444/488 acrylic primers

Name	Packing	Article	Package
UNI Hardener standard	0,25	12503	12
UNI Hardener standard	0,51	12504	6
UNI Hardener standard	2,51	12507	4
UNI Hardener slow	0,51	12214	on demand
UNI Hardener slow	2,51	12217	4
UNI Hardener fast	0,51	12354	6
UNI Hardener fast	2.51	12357	4

THINNERS/DEGREASERS/ADDITIVES

322 UNIVERSAL THINNER



- A universal thinner for almost all 2K acrylic products
 Used for delution of paints and lacquers to the desired viscosity
 Guarantees optimal application and drying condition with optimal viscosity of the applied material

Name	Packing	Article	Package
Universal thinner	11	13225	6
Universal thinner	51	13228	4

340 SPOT BLENDER



- Creates a smooth transition between new and old paint layers
 Excellent for use in spot repairs, blending out any noticeable borders
 Gives a high gloss to the lacquer in the transition zone
 Can be used right after applying the lacquer

Name	Packing	Article	Package
Spot blender	11	13405	6
Spot blender	51	13408	on request

350 SILICONE REMOVER



- A cleaning and degreasing agent for all metallic and plastic surfaces Removes grease, silicone, oils and teflon Provides optimal adhesion to the applied coatings

- Prevents formation of silicone craters while painting

Name	Packing	Article	Package
Silicone remover	11	13507	6
Silicone remover	51	13508	4

UNIVERSAL THINNER SLOW



- A slow universal thinner for almost all 2K acrylic products
- Provides longer time of application
 Used for delution of paints and lacquers to the desired viscosity
 Guarantees optimal application and drying condition with optimal viscosity
 of the applied material

Name	Packing	Article	Package
Universal thinner slow	11	13235	6
Universal thinner slow	51	13238	4

360 ELASTIFIER



- Improves the elasticity of acrylic 2K coatings
 Prevents the coating from cracking when plastic car parts are deformed
 Has no influence on the color
 Fast to use by just adding 10–50% to the ready to use 2K coating

•	Easy to use by	lust adding	10-50% to the	ready to use	2K coating

Name	Packing	Article	Package
Elastifier	250 ml	13601	12

ANTI SILICONE ADDITIVE 361



- Anti silicone additive avoids Fish Eyes
 Improves the flow when coating surfaces with minor residues of silicone,
- polish, wax and grease.

•	Suitable	tor	paints	based	on	synthetic	resins	

Name	Packing	Article	Package
Anti cilicono additivo	250 ml	12.611	12

2K TO 1K CONVERTER



- Converts 2K MS or HS paints into 1K paint effortlessly
 With the addition of this converter, there's no requirement for any hardener
 The transformed paints are perfectly suitable for use in pre-fill spray cans
 The converter is transparent and does not cause any color changes in the paint

Name	Packing	Article	Package
2V +- 1V C+	11	12402	4

READY MIX COLOURS

BASE COAT



- Easy handling
- High coverage
- · High spreading rate

Name	Colour	Packing	Article	Package
Base coat	black	11	51001	6
Base coat	silver	11	51098	6
Base coat	white	11	51003	6
Base coat	black	3	51011	4
Base coat	on request	11/3 1	51XXX	6/4

2K TOP COAT



- 2K acrylic paint

- Original colour match
- MS-quality
- · All major car brands colours are in the system

Name	Colour	Packing	Article	Package
2K Top Coat	on request	0,81	51XXX	6
Hardener		0,4	12600	6

· Colours on request

BASECOAT BINDER



- Solvent-based two-layer basecoat

Name	Colour	Packing	Article	Package
Basecoat Binder	transparent	3 L	51500	4



The new standard for polishing technique





ADVANTAGES

HIGH QUALITY

The LASER polishing products have been developed for the professional car refinishing market and represent a new standard in polishing technique. Thanks to the unique Self-Sharpening Particle Technology, our polishing products will never lose their cutting edge.

SUPREME CUT

EXTREMELY FAST & EFFICIENT



losing any of our high quality demands.

EASY TO WORK WITH

The LASER product line contains easy to use product

for all polishing jobs, an excellent swirl remover, rough

polishing paste for pre-polishing and even a dedicated

ease of use with efficient, time saving qualities, without

protection product. We've succeeded in combining

- · High performance cutting compound · Outstanding and extreme cut
- Superior high-gloss features
- · Knocks out even the deepest and most severe paint imperfections in seconds

Name	Colour	Packing	Article	Package
Supreme cut	white	0.5 kg	49931	10
Supreme cut	white	1 kg	49932	8

PERFECT CUT

ALL IN ONE COMPOUND



- · An easy to use "one for all" polishing compound
- · Keeps its cutting edge due to self sharpening particles
- Removes sanding marks up to P1500
- · Can be used on large surfaces
- Suitable for all modern types of paint
 Used for both cutting and finishing stages polishes by simply changing the polishing pad
- · Contains no silicone or wax, polishing out instead of filling

Name	Packing	Article	Package
Perfect cut	500 g	49911	12
Perfect cut	1 kg	49901	6

ULTIMATE FINISH

HOLOGRAM AND SWIRL REMOVER



- · Anti haze compound
- · Long-lasting removal of haze, swirls and holograms on dark
- · Extreme fine grains guarantee reliable removal of the smallest paint imperfections and micro scratches

Name	Colour	Packing	Article	Package
Ultimate finish	grey	500 g	49933	10

PERFECT SHINE

SHINE+PROTECT



- The perfect product to bring the luster back to any cars paint job
- Provides a quick and lasting shine
 Forms a durable, water repellant layer that gives excellent protection and still allows fresh paint to breathe

Name	Packing	Article	Package
Perfect shine	500 ml	49903	12

POWER CUT

POLISHING PASTE



- · Aggressive paste
- Pre-polishingSuitable for old paint coatings
- Possible to remove sanding marks with a grid of up to P 1000
- Optimized for use with lambwool pad

Name	Packing	Article	Package
Power cut	1 kg	49930	12

WWW.LASER-POLISH.COM

CAR CARE LINE

CAR WASH SHAMPOO

SUPER CONCENTRATE



- · Removes tough stains
- · Orange scent
- · Up to 30 washes

Name	Packing	Article	Package
Car wash shampoo super concentrate	1000 ml	49711	12

INSECT & BUG REMOVER





- Quickly and easily removes insects and organic debris (bird droppings) from car bodies, windows, bumpers, headlights, helmets and covers
- · Safe for use on metal, glass and plastic surfaces as well as

Name	Packing	Article	Package
Insect & bug remover	650 ml	49733	12

TIRE SHINE & PROTECTION



- · Product for tires that protects and rejuvenates the rubber
- · Silicone emulsion ensures long-lasting protection
- · Helps to keep surface looking nice for longer
- · 1 bottle protects approximately 40 tires

Name	Packing	Article	Package
Tire shine & protection	650 ml	49732	12

CERAMIC SHIELD

9H PROTECTION



- · Excellent reconditioning effect
- · Very good scratch resistance
- · Water-repellent effect
- Easy-to-clean effect
- · Durable protection against weathering, UV radiation and

Name	Packing	Article	Package
Ceramic shield	50 ml	49761	3

COCKPIT CLEAN & PROTECT





- Silicone-free
- Excellent cleansing properties
- · Lasting silky gloss
- Antistatic
- · Dirt repellen

Name	Packing	Article	Package
Cockpit clean & protect Vanilla	500 ml	49753	6
Cockpit clean & protect Lemon	500 ml	49754	6

WET WAX SHINE



- · Triple-action wet shine wax
- · Brings back the natural shine
- · Protects against harmfull UV
- · Can be used onall kinds of varnish

Name	Packing	Article	Package
Wet wax shine	650 ml	49762	12

LEATHER CLEANER & CONDITIONER





- · Conditions and cleans leather and artificial leather
- · Reduces the adhesion of dirt
- User-friendly
- Contains vaseline
- · Doesn't contain silicone

Name	Packing	Article	Package
Leather cleaner & conditioner	500 ml	49752	6

WHEEL RIM CLEANER

SUPER STRONG



- Removes dirt from all types of rims
- Fast and efficient
- · Colour change indication RED means READY

Name	Packing	Article	Package
Wheel rim cleaner	650 ml	49721	12

PLASTIC CLEANER



- · One-step solution for keeping plastics in perfect condition
- · Leaves nice scent
- · No-rinse formula
- · Silicone free

Name	Packing	Article	Package
Plastic cleaner	650 ml	49741	12

AIR CON REFRESHER





- Quickly and effectively eliminates unpleasant odours in the ventilation and air-conditioning system of the vehicle
 Can be used without removal of air filters or disassembly of the air conditioning system
 Leaves a fresh lavender or lemon scent

Name	Scent	Packing	Article	Package
Air con refresher	lavender	150 ml	49712	12
Air con refresher	lemon	150 ml	49713	12

FOAMING GLASS CLEANER



- · Provides streak-free shine
- · Perfect for vertical surfaces
- · Reduces steam accumulation

Name	Packing	Article	Package
Foaming glass cleaner	650 ml	49731	12

UPHOLSTERY CLEANER

SUPER STRONG



- · Removes dirt from deeper parts of the fabric
- · Can be used as a stain remover
- · Silicone free

Name	Packing	Article	Package
Upholstery cleaner	650 ml	49751	12

UNDERBODY PROTECTION

- . Ensures permanently a particularly soft surface even in elevated film

- Ensures permanently a particularly soil source error in thicknesses
 Excellent stone chip resistance
 Very good adhesive strength
 Shock: and scratch-resistant
 Permanently leastic even with large temperature fluctuations
 Recoatable after only 1 2 h drying at 20 °C

Name	Colour	Packing	Article	Package
Underbody protection	white	1 kg	37257	12
Underbody protection	grey	1 kg	37256	12
Underbody protection	black	1 kg	37255	12
Underbody protection	black	1,8 kg	37251	6

BITUMEN BRUSHABLE 711

NEW QUALITY



- Underbody coating based on bitumen
 Specially developed for brush application
 Provides an excellent protective barrier
- Easy to apply Resistant to water, brine, acids and alkaline

Name	Packing	Article	Package
Bitumen brushable	1 kg	37111	6

BUMPER PAINT 403



- High-strength elastic anti-grayel coating Used to protect parts that suffered from chemical and mechanical effects For restoring original bumper structure Quick drying allows quick working

- Available in two colours

Name	Colour	Packing	Article	Package
Bumper paint	black	0,51	14037	6
Bumper paint	black	11	14035	6
Bumper paint	grey	11	14036	6

UNDERBODY PROTECTION WATER-BASED



- Water-dilutable and environmentally friendly stone chip protection paint
- Sound absorbing properties
 Ready to use

Name	Colour	Packing	Article	Package
Underbody protection water-based	black	1 kg	37245	12
Underbody protection water-based	grey	1 kg	37246	12

GUARD 2K TRUCK BED LINER



- Highly resistant 2K polyurethane-acrylic paint system
 Excellent adhesion
- excellent adhesion Strong protection against corrosion, stains, rust and mechanical damage Vibration and noise reduction Applicable to many kinds of surfaces Highly scratch resistant paint

Name	Packing	Article	Package
Guard 2K Truck Bed Liner	0,751	37415	12
Guard 2K Truck Bed Liner TINTABLE	0,751	37416	12
Hardonar for 2K Truck Rad Lines	0.251	12415	12

RUST STOP & SEALER



- Converts moisture present in rust layers into carbon dioxide Excellent penetration capacity also in thick layers of rust Shortly seals the layers of rust

- Also stops zinc corrosion
 Can be overcoated with 1K or 2K primers or body fillers

Name	Packing	Article	Package
Rust stop & sealer	100 ml	39010	6

HOLLOW SECTION WAX



- Excellent corrosion prevention Excellent adhesion

	basea on special waxes	
•	Excellent penetrating qualit	У

Name	Colour	Packing	Article	Package
Hollow section wax	transparent brown	11	37815	12



EXCONOM	pononanng	quamij

Name	Colour	Packing	Article	Package
Hollow section wax	transparent brown	11	37815	12

. Used for the installation of windshields, side and rear windows and (re) Resistant to high dynamic pressure, oxidation and weathering
 Excellent vibration-absorbing and sound insulating properties
 Possesses high elasticity

> Colour Packing Article Package black 310 ml 37731 12

773 POLYURETHANE ADHESIVE FOR WINDSCREENS

751 POLYURETHANE CAR BODY SEALANT

752 753



- Can be used to attach lightweight car parts like cover plates, gaskets, trims, reflectors etc.
 Used to fill up welding joints of car body elements
 Possesses high adhesive properties to untreated surfaces
 May be re-sprayed with all lacquer systems
 Possesses high elasticity

- Does not crack

Name	Colour	Packing	Article	Package
Polyurethane car body sealant	white	310 ml	37531	12
Olyurethane car body sealant	grey	310 ml	37521	12
Polyurethane car body sealant	black	310 ml	37511	12

GLASS PRIMER



- Primer for 773 adhesive for windscreens
 Specifically designed for the certain chand on vehicle glass
 Specifically designed for the certain chand on the control of the con

plastic and metal materials					
Name	Colour	Packing	Article	Package	ı

Nar	ne	Colour	Packing	Article	Package
Gla	ss primer	black	30 ml	38721	12

765 BRUSHABLE PU SEALANT

Possesses high elasticity Wear resistant



- Excellent adhesion
- Spreadable by brush
 Permanently flexible
 Overcoatable with 1K and 2K paint systems
- Good vertical stability Resistant to water, oils, weak acids and bases
- Colour
 Packing
 Article
 Package

 grey
 1 kg
 37650
 6

001 1K ACRYLIC PAINT BLACK MATT/ **1K ACRYLIC PAINT SILVER RAL 9006** 002



- 1K acrylic paint designed for spot repairs or complete repainting of machinery and vehicles
 Paint with scratch resistant properties and with UV protection

- Fast drying
 Can be applied electrostatically

Name	Colour	Packing	Article	Package	
Acrylic paint black matt	black matt	11	50010	6	
Acrylic paint silver RAL 9006	silver RAL 9006	11	50020	6	10

1K WASH PRIMER





- Excellent adhesion to blank grounded metal
 Weldable
- Fast drying
- Active rust protection pigments guarantee best possible rust protection

	Name	Colour	Packing	Article	Package
	1K Wash primer	red-brown	400 ml	26022	6
•	1K Wash primer	olive green	400 ml	26023	6

1K EPOXY PRIMER



- · Excellent adhesion and corrosion protection for steel, galvanized steel,
- aluminium and fiberglass

 Wet-on-wet application possible
- Fast drying
 Good flow
- Simple, time-saving application
 Good insulation against moisture

Name	Colour	Packing	Article	Package
1K Enowy primor	arov	400 ml	26032	6

2K EPOXY PRIMER 2K PRIMER FILLER PREMIUM





- Excellent adhesion and corrosion protection for steel, galvanized steel
- and aluminium

 Good insulation against moisture
- Very good flow, wet-on-wet application possible
 Fast drying time

PLASTIC PRIMER

- Easy to sand wet or dry
 Solvent resistant
 Once dry, can be overcoated with polyester products
- Can be overpainted with water- and solvent based paints and 1K and 2K topcoats

Name	Colour	Packing	Article	Package
2K Epoxy primer	beige	200 ml	14013	6



- Used on steel, galvanized steel and aluminum surfaces
 Protects against rust
 Mixing with hardener inside the can
 Good adhesive properties

- Easy wet and dry sanding
 Resistant to solvents

ame	Colour	Packing	Article	Package
K Primer filler premium	grey	200 ml	14012	6

PLASTIC FILLING PRIMER



- . High quality, fast drying plastic primer for treated and untreated surfaces of several types of plastic

 • Very good adhesion to all plastic parts such as bumpers, tuning parts and
- mirror caps

 Re-sprayable with all lacquer systems

	Name	Colour	Packing	Article	Package
0	Plastic primer	transparent	400 ml	26014	6



- Fast-drying plastic primer
 Excellent filling properties
 For use on PP-EPDM, ABS, PC, ABS-PC, PMMA, PA, PUR, PVC,
- GRP plastics
 Recoatable with 1K and 2K topcoats.

Name	Colour	Packing	Article	Package	
Plastic filling primer	light grey	400 ml	26015	6	

PRIMER



- Used for quality spot repair
 Guarantees high-grade adhesion to metals and plastics
 Easy to option
 Fast drying
 Easy treatment
 Protessional result

Name	Colour	Packing	Article	Package
Primer	grey	500 ml	26004	6
Primer	black	500 ml	26002	6
Primer	white	500 ml	26003	6
Primer	red	500 ml	26005	6

MULTI-FILL PRIMER



- For all metal surfaces and conventional plastics
- Filler and primer at the same time
 Short drying time
- Very good corrosion protection
 Excellent adhesion
- Recoat with water-and solvent-based paints as well as 1K and 2K topcoats

Name	Colour	Packing	Article	Package
Multi fill primer	grey	400 ml	26141	6

THICK LAYER FILLER



- Used for leveling out superficial scratches and minor irregularities in sanded surfaces
 Excellent filling properties and coverage
 Wet-on-wet application possible
 Good adhesion to all metal surfaces

- Very smooth flow
 High coverage

ame	Colour	Packing	Article	Packag
hick layer filler	grey	400 ml	26040	6
hick layer filler	black	400 ml	26041	6
Link Innocatillan		400 1	24042	- 4

ALUMINUM PRIMER



- Fast-drying primer
 Excellent filling properties
 For use on aluminum and iron surfaces, galvanized sheet, copper and brass
 Recoatable with 1K and 2K topcoats.

Name	Colour	Packing	Article	Package
Aluminum primer	grey	400 ml	26724	6

ISOLATOR PRIMER



- · Quick drying
- Good adherence
- Easy to apply
 Improves adhesion for the top-coat
- Packing
 Article
 Package

 400 ml
 26723
 6

ZINC-ALU SPRAY UP TO 300 °C



- Coatable with air-drying acrylic, nitro-combi and synthetic lacquers
- Good flow
 Rust-protection
- Heat-resistant up to 300 °C
 Resistant to temperature changes

	Name	Colour	Packing	Article	Package]
	Zinc-Alu spray	arev	400 ml	26722	6	1 21

ZINC SPRAY UP TO 600 °C

- Cathodic corrosion protection for all blank metals
 Resistant against all forms of corrosion
 Heat resistant up to 600 °C

- Ideal for all outdoor metal constructions which are at a high risk from rust

Name	Colour	Packing	Article	Package
Zinc spray	grey	400 ml	26711	6

HEAT RESISTANT PAINT 650 °C



- Temperature resistant up to 650 °C

- High coverage
 Fast drvina

/ 9	
Name	Colour
11	11. 1

ENGINE PAINT



- Special heat-resistant silicone-based paint for the decoration and protection of engines
- Very good adhesion
- Protects against moisture and dirt
 Also suitable for all other surfaces exposed to heat.

Name	Colour	Packing	Article	Package
Engine paint	black	400 ml	26603	6
Engine paint	silver	400 ml	26606	6

UNDERBODY PROTECTION PREMIUM



- · Premium quality
- Excellent coverage
 Extra strong structure, underbody coating surface
- Over sprayable with all lacquer systems
 Very good adhesion
 Resistant to weak acids, bases and salt

- Packing Article Underbody protection premium white 500 ml 38015 Inderbody protection premium 500 ml 38025 500 ml 38035 Underbody protection premium

• High quality lacquer for treated and untreated surfaces which are subjected to

- very high temperatures

 Resistant to petrol, chemicals and weather influences

 Excellent adhesion

Name	Colour	Packing	Article	Package
Heat resistant paint	black	400 ml	26601	6
Heat resistant paint	silver	400 ml	26602	6

STRUCTURE SPRAY



- . Structural reproduction of damaged plastics and plastic parts

- Simple, time-saving application
 Should be overcoated
 Suitable for exterior plastic car parts e.g. door frames, mirrors, tuning parts and bumpers as well as interiors e.g. dashboard, centre console, door panels and boot lining

Name	Colour	Packing	Article	Package
Structure spray	black	500 ml	26340	6

UNDERBODY PROTECTION



- · Used for the protection of body sills, doors, wheel housing and other car body elements

 Protects against vibrations, sand, gravel, moister and salt

 Forms an elastic coating

- Easy to apply
 Contains anti-corrosive additives

1 033C33C3 300Ha-III30Halling qualifics					
lame	Colour	Packing	Article	Package	
Inderbody protection	white	500 ml	37014	6	
Inderbody protection	grey	500 ml	37024	6	
1 1 1 1 1 1 1 1		500 1	07004	-	

LEATHER PAINT



- For real- and artificial leather (Vinyl)
 Abrasion-resistant and elastic
- Excellent adhesion
- Fast drying
- Easy and safe application

Name	Colour	Packing	Article	Package
Leather paint	black	400 ml	26801	6

PAINT FOR CARPET & FABRIC



- High-quality acrylic coat
 Simple spray application
 Easy restoration of worn out spots on textile car mats, carpets and convertible roots
- Hides stains and worn out spots

Name	Colour	Packing	Article	Package
Paint for carpet & fabric	black	400 ml	26802	6

BRAKE CALIPER PAINT





- High-grade acrylic quality
 Quick-drying
 Durable gloss Weather-resistant
 Hard surface, good elasticity
- Excellent adhesion
 Temperature-resistant: up to 80°C
- Very good coverage

Name	Colour	Packing	Article	Package
Brake caliper paint	red	400 ml	26611	6
Brake caliper paint	yellow	400 ml	26612	6

PAINT FOR PLASTIC AND BUMPER



- High quality, fast drying plastic paint for treated and untreated surfaces of different plastic types
 Applied directly to the plastic without previous priming
 Scratch resistance and shock proof
 Lasting colour and lasting gloss

- Excellent coverage

Name	Colour	Packing	Article	Package
Paint for plastic and bumper	grey	400 ml	26314	6
Paint for plastic and bumper	black	400 ml	26334	6

CHROME EFFECT



- Metallic enamel point based on special resins and non-leafing pigments
 Gives extra-gloss for the decoration of surfaces and objects for similar chrome appearance
 Fast drying, good coverage and good adhesion
- Free from pigments made of heavy metals
- Colour Packing Article Package 400 ml 26725 6

TRANSPARENT PAINT FOR GLASS & PLASTIC



- · High-grade synthetic quality
- Transparent; the structure of the ground remains visible after coating
 Weather-resistant

- Durable gloss
 Very good colour retention (light-proof, non-yellowing)
 Scratch-, shock- and impact-resistant

Name	Colour	Packing	Article	Package
Transparent paint for glass and plastic	black	400 ml	26351	6
Transparent paint for glass and plastic	red	400 ml	26350	6

ACRYL SPRAY LACK



- Used for quality spot repair Guarantees high-grade adhesion to metals and plastics Easy to apply Fast dayling Easy freatment Professional result

Name	Colour	Packing	Article	Package
Wheelpaint	silver	500 ml	26104	6
Acrylic aerosol	black matt	500 ml	26204	6
Acrylic aerosol	black gloss	500 ml	26214	6
Acrylic aerosol	white gloss	500 ml	26414	6
Acrylic aerosol	black semimatt	500 ml	26205	6
Acrylic aerosol	white semimatt	500 ml	26206	6
Clear coat	matt	500 ml	26406	6
Clear coat	clear	500 ml	26404	6

RUST CONVERTER PRIMER 2 IN 1



- Rust is neutralised and chemically converted
 Combats corrosion
- Suitable for the effective treatment and prevention of rust
 Offers long-term protection against corrosion and acts as a primer in one
- operation

Name	Colour	Packing	Article	Package
Rust converter primer 2 in 1	transparent	400 ml	26060	6

HOLLOW SECTION WAX



- Long term protection
 Easy to use due to extended spray nozzle
 Excellent adhesion

- Good coverage

 Resistant to brine, weak acids and bases

Name	Colour	Packing	Article	Package
Hollow section wax	white-transparent	500 ml	26740	6

BITUMEN



- High quality protective material for the underside of vehicles Remains flexible Excellent adhesion
- Resistant to weak acids, bases and weather influences
- Excellent corrosion prevention
- Sound-absorbing

Name	Colour	Packing	Article	Package
Bitumen	black	500 ml	37100	6

CONTROL GUIDE COAT



- High quality black control lacquer as aid for sanding
 Easy to use
- Fast drying

Name	Colour	Packing	Article	Package
Control guide coat	black	500 ml	26051	6

AIR CONDITION CLEANER





- Effective cleaning foam
 Optimizes the functioning of the air-conditioning
 Subtle scent
- Prevents malfunction

Name	Packing	Article	Package
Air condition cleaner	500 ml	49743	12

CONTACT ADHESIVE SPRAY



- · Transparent contact adhesive based on synthetic rubber
- Quick and reliable to use
 Adjustable spray head allows you to control spray rate
 Jet spray nozzle which sprays in a 10 cm width

Name	Colour	Packing	Article	Package
Contact adhesive spray	transparent	500 ml	26803	6

PAINT REMOVER



- Highly effective spray for removing old paint layers
 Removes even the hardest paint layers

- Easy to apply
 Sticks to vertical surfaces due to gel like consistency
 Works on e.g. wood, stone, metal, bricks, glass, concrete and asphalt

Name	Colour	Packing	Article	Package
Paint remover	transparent	400 ml	26730	6

SILICONE REMOVER



- Simple comfortable application
 Thorough removal of silicone, grease, oil, wax, dirt, tar, adhesive residues etc.
 Mild, non-aggressive solvent
 Improves adhesion of subsequent coatings
 Extremely time saving

- Desalination function
- Colour Packing Article 500 ml 26070

SPOT BLENDER



- High quality mixture of solvents to level the transition at spot repairs
 Results in a smooth transition between the old and the new lacquer
- Instantly visible result Directed jet spray

Name	Colour	Packing	Article	Package
Spot blender	transparent	400 ml	26504	6

SPRAY PUTTY



- High quality, fast drying filler for filling small irregularities in wooden metal and aluminium treated and untreated surfaces
 Corrosion preventive and high coverage

Name	Colour	Packing	Article	Package
Spray putty	beige-yellow	400 ml	26701	6

PRE-FILL STANDARD



- The spray contains a combination of compressed gas (175 ml) and solvents (100 ml) for subsequent filling
 Can be filled with up to 100 ml of almost any solvent-based product (paint, primer, clear coat) using special equipment ideal for spot repairs or car body paint

- Excellent spraying

Name	Packing	Article	Package
Pre-fill standard	prefilled 275 ml +fillable with 100 ml	25001	6

PRE-FILL 2K TO 1K CONVERTER





The converter converts 2K acrylic topcoat or HS topcoat into a 1K physically

- drying coat

 High coverage and simple, time-saving application
 Excellent atomization
- Light blending

Name	Packing	Article	Package	
Pre-fill 2K to 1K converter	300 ml	25004	6	2

PREMIUM ANTI STATIC OVERALL



- Anti static
 Washable
 Re-adjustable
 Long life fabric
 Silicon free
 Fabric 55
 Colour Dark & Light Grey

Name		Sizes	Article	Package
Premium anti static ov	erall	M	80024	5
Premium anti static ov	erall	L	80025	5
		30	0000/	-

LONG LIFE

ANTI STATIC

NITRILE SUPER GRIP GLOVES



- Due to the innovative gripper structure the gloves have excellent grip on wet and oily surfaces
 Powder-free nittile gloves for protection against skin irritation
 Increased solvent resistance
 Extremely flexible, perfect fit and excellent comfort
 Colour. Black

Name	Sizes	Article	Package
Nitrile super grip gloves	M	48901	80
Nitrile super grip gloves	L	48902	80
Nitrile super grip gloves	XL	48903	80

OVERALL



- Anti static
 Lint free
 Silicone free
- Washable
 100% Polyester
- Fabric 55 gsm
 Colour Grey

Name	Sizes	Article	Package
Overall	S	80011	10
Overall	М	80012	10
Overall	L	80013	10
Overall	XL	80014	10
Overall	XXL	80015	10

POWER GRIP GLOVES



- Due to the diamond structure, the gloves have an excellent grip on wet and oily surfaces
 Extra thick and suitable for heavy-duty
 Powder and silicone free for protection against skin irritation
 Solvent resistant
 Extremely strong, flexible, perfect fit and excellent comfort
 Colour: Orange

Name	Sizes	Article	Package
Power grip gloves	L	48905	50
Power grip gloves	XL	48906	50

WORK PANTS



- Elastic straps
 Adjustable size
 High mechanical strength
 70% cotton, 30% polyester
 Washable
 Durable
 Colour: Black

Name	Size	Article	Package
Work pants	S	85020	1
Work pants	M	85021	1
Work pants	M tall	85022	1
Work pants	L	85023	1
Work pants	L tall	85024	1
Work pants	XL	85025	1

HAND CLEANER ULTRA STRONG



- Premium cleaner
 Removing even 2k paints, heavy oils, grease and other hard to remove substances
 Substances
 Possesses high cleansing properties due to the finest abrasive particles
 Softens and protects hand skin
 Cream-like consistency
 Dematologically tested
 Pleasant fragrance

Name	Packing	Article	Package
Hand cleaner ultra strong	3.0 L	48603	6
Pump for Handcleaner 3L		500223	4

ABSORBING WIPES



Intended for cleaning car body surface before painting
 Provides anti-static properties on the treated surface

Name	Sizes	Article	Package
Absorbing wipes	42 × 75 cm	48010	24 × 10

MIXING CUPS/CAPS



- Disposable mixing cups for all kinds of paints and lacquers (including water based paints)
 Transparent cups enable an exact mixing
 Recyclable
 Environmentally friendly
 Mixing cups can be stacked
 Available with matching lids

Name	Article	Package
Mixing cup 385 ml/Cap	48610/48611	200/200
Mixing cup 750 ml/Cap	48620/48622	200/200
Mixing cup 1400 ml/Caps	48630/48633	200/200
Mixing cup 2300 ml/Cap	48640/48644	100/100

MASKING TAPE



- Possesses perfect and durable adhesion Secure removal of old coating and further painting Heat-resistant 60 °C, 90 °C in 60 minutes Produced in 50 meters rolls

FINE LINE TAPE BLUE

ame	Colour	Heat-resistant	Sizes	Article	Package
Nasking tape	beige	60 °C	18 mm × 50 m	48112	48
Nasking tape	beige	60 °C	24 mm × 50 m	48122	36
lasking tape	beige	60 °C	36 mm × 50 m	48142	24
lasking tape	beige	60 °C	48 mm × 50 m	48152	24

Masking tape	beige	60 °C	18 mm × 50 m	48112	48
Masking tape	beige	60 °C	24 mm × 50 m	48122	36
Masking tape	beige	60 °C	36 mm × 50 m	48142	24
Masking tape	beige	60 °C	48 mm × 50 m	48152	24
Masking tape	brown	90 °C	18 mm × 50 m	48212	48
Masking tape	brown	90 °C	24 mm × 50 m	48222	36
Masking tape	brown	90 °C	36 mm × 50 m	48242	24
Masking tape	brown	90 °C	48 mm × 50 m	48252	24

WAFFLE TACK RAG



- Removes dust from sanded surfaces
 Never dries out due to unique combination of resin and oil based substances
 Special shrinked waffle shape allows dust particles to penetrate deep into the fabric

Name	Sizes	Article	Package
Waffle tack rag	0,20 × 0,55 m – 0,90 × 0,95 m	48011	100 pcs

PUTTY KNIFE SET



- Made from stainless steel
 Easy clean up
 Sets with 4 different sizes
 Suitable retail packaging

Name	Sizes	Article	Product dimension	Package
Putty knife set	1 × 50 mm 1 × 80 mm 1 × 100 mm 1 × 120 mm		Length – 18 cm Width – 13 cm Height – 1 cm	

DOUBLE-SIDED TAPE



- Designed for fixating in- and exterior trims and other light decorative parts
 Can be used on surfaces such as metal, wood, glass and various plastics
 Foam structure can compensate irregularities of surface
 Temperature resistant up to 100 °C
 Temperature resistant up to 100 °C

- Each roll packed separately in transparent plastic bag

Name	Sizes	Article	Package
Double-sided tape	6 mm × 5 m	48310	50
Double-sided tape	9 mm × 5 m	48320	50
Double-sided tape	12 mm × 5 m	48330	50



- Fine line tape with high temperature resistance and excellent adhesion to a wide
- Filler little year in ingri i ingri i

Name	Sizes	Article	Package
Fine line tape blue	3 mm × 33 m	48360	20
Fine line tape blue	6 mm × 33 m	48361	20

BLUETEX



- Used for car body cleaning Quickly absorbs water, oil and other technical liquids Tear resistant Resistant to solvents

Name	Sizes	Article	Package
Bluetex wipes	32 × 40 cm	48030	10 × 50
Bluetex roll	27 × 40 cm	48040	1 roll - 500 wipes

MESH FILTER



- Used for filtration of lacquer-and-paint materials, including water-based ones,
- before their application
 Mesh size 190/125 mµ

Name	Packing	Article	Package
Mesh filter 190 mµ	4 × 250 pcs	48400	1000
Mesh filter 125 mµ	4 × 250 pcs	48410	1000

SOFT EDGE FOAM MASKING TAPE



- Used to fill gaps on vehicles such as on car doors, hoods, trunk lid etc.
 Helps to shorten painting and improves the work quality by securing door seals
 It can also eliminate sharp edges of car paints

Name	Sizes	Article	Package
Soft edge foam masking tape	13 mm × 20 m	48351	50

TAPE & STRIPPING REMOVE DISC



- Synthetic disk suitable for removing trims and residues from sticker and double
- sided tape

 Does not damage the surface
- Time-saving
 Ideal speed: 3000 to 4000 rpm

Name	Article	Package
Tape & stripping remove disc	48370	24
Axle for disc	48371	24

29

CONSUMABLES

MASKING FILM



- Tear resistant
- Protects against paints, dirt and moisture
 Secure removal of tape without leaving any residue

Name	Sizes	Article	Package
Masking film	$4 \times 5 = 20 \text{ m}^2$	48777	40
Masking film XL	$4 \times 7 = 28 \text{ m}^2$	48787	30

WAFFLE POLISHING PADS



- For mechanical polishing and griding
 Suited for using with coarse-grained polishing pastes

Name	Colour	Sizes	Article	Package
Waffle polishing pads soft	black	150 × 25 mm	49400	50
Waffle polishing pads hard	orange	150 × 25 mm	49410	50

BACKING PLATE



- Professional reusable backing plate for rotary machine polishers
 Designed for use with velcro polishing- and buffing pads
 Strong inlaid velcro for easy pad removal
 Standard M14 thread for all common polishing machines

Name	Sizes	Article	Package
Backing plate standard M14	150	49821	50

MASKING FILM ROLL



- · Fully electrostatic
- Tear resistant
 Secure removal of tape without leaving any residue
- Transparent
 Thickness 9-10 µm

Name	Sizes	Article	Package
Masking film roll	4 × 150 m	48790	1
Masking film roll	5 × 120 m	48791	1

PREMIUM POLISHING PADS



- For mechanical polishing and grinding
 Extra durable foam
 Suitable for use with coarsegrained polishing pastes

Name	Colour	Sizes	Article	Package
Premium polishing pads soft	black	150 × 25 mm	49981	50
Premium polishing pads hard	orange	150 × 25 mm	49971	50
Premium polishing pads very hard	white	150 × 25 mm	49961	50

POLISHING PADS




Polishing sponge pad for mechanical use of cutting and polishing components
 Available in three grades of hardness: soft, hard and very hard

Na	me	Colour	Sizes	Article	Package
Poli	ishing pad velcro soft	black	83 × 25	49301	50
Poli	ishing pad velcro hard	orange	83 × 25	49311	50
Poli	ishing pad velcro very hard	white	83 × 25	49321	50
Poli	ishing pad soft 910 velcro	black	150 × 50	49100	50
Poli	ishing pad hard 911 velcro	orange	150 × 50	49110	50
Poli	ishing pad very hard 912 velcro	white	150 × 50	49120	50
Poli	ishing pad soft 920 backing plate M14	black	150 × 50	49200	50
Poli	ishing pad hard 921 backing plate M14	orange	150 × 50	49210	50
Poli	shing pad very hard 922 backing plate M14	white	150 × 50	49220	50
Poli	shing pad soft velcro	black	150 × 25	49300	50
Poli	shing pad hard velcro	orange	150 × 25	49310	50
Poli	shing pad very hard velcro	white	150 × 25	49320	50



SANDING PADS





- Rinse and reuse

Name	Size	Colour	Article	Grit	Package
Sanding pads, fine	119 x 98 mm	brown	48051	P400	50
Sanding pads, superfine	119 x 98 mm	green	48052	P800	50
Sandina pads, microfine	119 x 98 mm	purple	48053	P1500	50

CERAMIC POWER DISCS 15 HOLES





- Premium abrasive discs for multipurpose sanding
 Innovative shaped ceramic particles combined with aluminium oxide on a flexible paper backing, gives this product efficiency and speed never seen before
 The shaped ceramic particle technolgy prevents clogging and gives the ceramic power discs a longer lifetime, as the particles stay sharp for longer
 Thanks to the multihole pattern, this product has excellent dust extraction and a homogeneous finish without comparison.
- comparison

Name	Size	Grit	Article	Package
Ceramic power discs	ø 150 mm	P60	47001	50 pcs
Ceramic power discs	ø 150 mm	P80	47002	50 pcs
Ceramic power discs	ø 150 mm	P100	47003	50 pcs
Ceramic power discs	ø 150 mm	P120	47004	50 pcs
Ceramic power discs	ø 150 mm	P150	47005	50 pcs
Ceramic power discs	ø 150 mm	P180	47006	50 pcs
Ceramic power discs	ø 150 mm	P220	47007	50 pcs
Ceramic power discs	ø 150 mm	P240	47008	50 pcs
Ceramic power discs	ø 150 mm	P320	47009	50 pcs
Ceramic power discs	ø 150 mm	P400	47010	50 pcs
Ceramic power discs	ø 150 mm	P500	47011	50 pcs
Ceramic power discs	ø 150 mm	P600	47012	50 pcs
Ceramic power discs	ø 150 mm	P800	47013	50 pcs
Ceramic power discs	ø 150 mm	P1000	47014	50 pcs

SOFT ABRASIVE ROLL





- \bullet With its flexible backing, this abrasive has been developed for hand sanding irregular, contoured surfaces and small, hard-to-reach parts
- Ideal for the automotive sector
- The special stearate coating process prevents clogging and makes it suitable for dry sanding
- Pre cut size

Name	Size	Grit	Article	Package
Soft abrasive roll	115 mm x 25 m (pre cut size)	P150	47040	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P180	47041	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P220	47042	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P240	47043	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P320	47044	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P400	47045	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P500	47046	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P600	47047	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P800	47048	1 roll
Soft abrasive roll	115 mm x 25 m (pre cut size)	P1000	47049	1 roll

The **Chamäleon** label was introduced in 1965 in Schwerte for the first time. Since that time, high quality putty products have been produced under the well-known black and yellow logo. Back then the Chamäleon putty products were mainly being manufactured for the German market and stood for the highest quality on which professional users could rely.

In 2002 it was decided to enlarge the putty product range and to start focusing on the international market. To realize this, the Chamüleon brand was outsourced into a separate company under a qualified management. All putty products would still be produced in Schwerte so the company could move into foreign markets with the excellent "Made in Germany" quality products. Heidelberg, located in the Rhine-Neckar-triangle, was chosen as the headquarters of the new company for its infrastructure and ideal conditions for the new expansion strategies.

Chamäleon GmbH managed to realize its set goals successfully and was able to establish itself internationally with a wide range of car refinishing products. The key to the young company's success is to offer "Made in Germany" quality products for very competitive prices and to offer the highest level of customer service.

In the beginning of 2013, the Chamäleon GmbH received the ISO 9001:2008 certificate and in 2019 received the newest ISO 9001:2015 certificate from TÜV Thüringen. This serves as proof of our ongoing commitment to quality and customer satisfaction. All this made the black and yellow label from Heidelberg one of the leading brands in many countries today.

We would gladly continue our history with you as our new business partner.

CHAMÄLEON GMBH ()

RUDOLF-DIESEL-STRAßE 8A 69115 HEIDELBERG, GERMANY

TEL.: +49-(0)6221/520440 **FAX:** +49-(0)6221/520449

E-MAIL: INFO@CHAMAELEON-PRODUKTION.DE

CHAMAELEON-PRODUKTION.DE



f ChamaeleonGmbH



Chamaeleon_gmbh



Chamäleon GmbH

